


Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870



# 175 HP Pro XS

POA







# **Specifications**

# **Boat Details**

**Price** POA **Boat Brand** Mercury Model 175 HP Pro XS Length 0.00 Year 2023 Category **Boat Engines and Outboards** 

**Hull Type** Hull Style

Stock Number **Power Type** 

Condition State Queensland New Suburb **BUNGALOW Engine Make** Mercury

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

# **Description**

The 175hp Pro XS provides hard-charging performance to put you out front and keep you there. Pro XS is the choice of tournament anglers and performance enthusiasts who don't like coming second. The Mercury V-6 Pro XS transforms every drop of fuel into performance delivering class leading fuel economy at cruising speed and wide-open throttle. Advanced Range Optimisation (ARO) utilises closed-loop fuel control to precisely adjust the fuel mixture and deliver the best possible efficiency. All Pro XS FourStroke models now come with a 3+3=6 Year factory warranty.ENGINE DETAILS

Engineers packed incredible power into this lightweight and compact outboard. Great for bass and multi-species fishing boats.SPECIFICATIONS - 175

HP / kW

• 175 / 130

### Engine type

• V-6

#### MidSection

Conventional MidSection

#### Displacement (CID/CC)

• 209

#### Displacement (L)

• 3.4

#### Cylinder Configuration

• V-6 [64 degree] with Dual Overhead Cam [DOHC] and 24-valves

### Full throttle RPM

• 5400-6000

# Air induction

• Performance-Tuned Long-Runner Intake Manifold

### Fuel induction system

• Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

#### Alternator amp / Watt

• 85-amp (1071 Watt) with Idle Charge

### Recommended fuel

Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

#### Recommended oil

• NMMA Certified FCW SAE 10W-30

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

# Engine protection operator warning system

• SmartCraft Engine Guardian

### Compatible with SmartCraft digital technology

Yes

### Starting

• Electric Start with SmartStart Protection

#### Controls

Remote Mechanical

### Steering

- Big Tiller (optional)
- Hydraulic (standard)
- Power (optional)

# Shaft length

- 20" / 508 mm
- 25" / 635 mm

#### Gearcase ratio

• 1.85:1

# Dry weight \*Lightest model available

• 470 lbs / 213 kgs

# CARB star rating

• 3

#### Bore and stroke

• 3.6 in x 3.4 in / 92 mm x 86 mm

# Ignition

• SmartCraft PCM 112 Digital Inductive

### Cooling system

• Water-cooled with thermostat

### Gear shift

• F-N-R

# Gearcase options

• 4.8"

### Trim system

• Power trim and tilt

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

# Exhaust system

Through prop

### Color

• Phantom Black

# Lubrication system

• Integrated wet sump

# Oil Capacity

• 7.0 Quarts / 6.6 Liters

# Maximum Trim Range

• 20° (-6° to 14°)

# Maximum Tilt Range

• 73° (-6° to 67°)

# **Engine Details**

Engine Make Mercury
Displacement 3.4
Horse Power 175

Steering Big Tiller (optional), Hydraulic (standard), Power (optional)

#### Disclaimer