

Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870



# 250 HP Pro XS

POA







# Specifications

# **Boat Details**

PricePOABoat BrandMercuryModel250 HP Pro XSLength0.00

Year 2023 Category Boat Engines and Outboards Hull Style Hull Type

Power Type Stock Number 0

ConditionNewStateQueenslandSuburbBUNGALOWEngine MakeMercury

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

# **Description**

The 250hp Pro XS provides hard-charging performance to put you out front and keep you there. Pro XS is the choice of tournament anglers and performance enthusiasts who don't like coming second. Mercury V-8 Pro XS models transform every drop of fuel into performance delivering class leading fuel economy at cruising speed and wide-open throttle. Advanced Range Optimisation (ARO) utilises closed-loop fuel control to precisely adjust the fuel mixture and deliver the best possible efficiency. All Pro XS FourStroke models now come with a 3+3=6 Year factory warranty. ENGINE DETAILS

Great for bass and multi-species fishing boats. SPECIFICATIONS - 250 HP / kW

• 250 / 186

## Engine type

• V-8

#### MidSection

Conventional MidSection

#### Displacement (CID/CC)

• 279 CID

## Displacement (L)

• 4.6L

## Cylinder Configuration

• V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

#### Full throttle RPM

• 5600-6200

#### Air induction

• Performance-Tuned Long-Runner Intake Manifold

### Fuel induction system

• Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

### Alternator amp / Watt

• 85-amp (1071 Watt) with Idle Charge

#### Recommended fuel

• Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

#### Recommended oil

• NMMA Certified FCW SAE 10W-30

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

## Engine protection operator warning system

• SmartCraft Engine Guardian

## Compatible with SmartCraft digital technology

• Yes

## Starting

• Electric Start with SmartStart Protection

#### Controls

Remote Mechanical or Digital Throttle & Shift (DTS)

### Steering

- Big Tiller (optional)
- Hydraulic (standard)
- Power (optional)

## Shaft length

- 20" / 508 mm
- 25" / 635 mm

#### Gearcase ratio

• 1.75:1

## Dry weight \*Lightest model available

• 505 lbs / 229 kgs

## CARB star rating

• 3

#### Bore and stroke

• 3.6 in x 3.4 in / 92 mm x 86 mm

## Ignition

• SmartCraft PCM 112 Digital Inductive

### Cooling system

• Water-cooled with thermostat

### Gear shift

• F-N-R

#### Gearcase options

• 20": TorqueMaster

• 25": 5.44"

## Trim system

• Power trim and tilt

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

# Exhaust system

Through prop

### Color

• Phantom Black

## Lubrication system

• Integrated wet sump

# Oil Capacity

• 7.0 Quarts / 6.6 Liters

## Maximum Trim Range

• 20° (-6° to 14°)

# Maximum Tilt Range

• 73° (-6° to 67°)

# **Engine Details**

Engine Make Mercury
Displacement 4.6
Horse Power 250

#### Disclaimer